




PLUS ECHO
NEW LOOK




@EDGES HEATING SYSTEMS
www.EdgesHeating.com

PLUS ECHO



PLUS ECHO is the radiator specially conceived to follow the evolution of design, with a growing focus on minimal, contemporary lines, suitable for any home decor.

PLUS ECHO



MODELLO model	h (mm) altezza height	b (mm) larghezza width	i (mm) interasse center distance	p (mm) profondità depth	peso weight kg	contenuto d'acqua water content lt	resa termica /thermal output		
							$\Delta t\ 30^\circ$	$\Delta t\ 50^\circ$	$\Delta t\ 60^\circ$
350	431	80	350	95	0,99	0,22	45,1	86,4	108,9
500	581	80	500	95	1,31	0,32	59,8	115,4	145,9
600	681	80	600	95	1,47	0,36	66,2	128,2	162,3
700	781	80	700	95	1,73	0,39	74,2	143,9	182,2
800	881	80	800	95	1,95	0,43	82,5	160,9	204,1

FINITURE DISPONIBILI

AVAILABLE FINISHES



White Matt



Black Matt

ACCESSORIES

VALVES, LOCKSHIELDS AND VALVE/LOCKSHIELD ASSEMBLIES

Codice .

Descrizione .



Detentore diritto, cromato, per impianti bitubo

Straight lockshield suitable for thermostat control, chromed, for double pipe plants

108.103

Detentore per tubi rame, multistrato o ferro / Lockshield for copper, multilayer or iron pipes connection



Valvola a squadra termostattizzabile, cromata, per impianti bitubo

Angle valve suitable for thermostat control, chromed, for double pipe plants

106.103

Valvola per tubi rame, multi strato o ferro / Valve for copper, multilayer or iron pipes connection



Detentore a squadra cromato per impianti bitubo

Angle lockshield suitable for thermostat control, chromed, for double pipe plants

102.103

Detentore per tubi rame, multistrato e ferro / Lockshield for copper, multilayer or iron pipes connection



Gruppo valvola remoto termostattizzabile con attacchi 1/2"F, per impianti bitubo/monotubo, finitura cromo

Remote manual valve/lockshield assembly suitable for thermostat control with connections 1/2"F, for double/single pipes plant, chrome finish

205.21

Gruppo manuale / Remote manual



Kit valvola combinata per scaldasalviette ov- al bath / cu-al bath - round al bath per installazione resistenza assiale (versione mista)

Valve kit combined for towel warmers ov- al bath / cu-al bath - round al bath for axial resistance installation (hybrid version)

205.51

Gruppo con ingresso SX / Assembly with left-side inlet

205.52

Gruppo con ingresso DX / Assembly with right-side inlet



Valvola manuale e detentore ad angolo, cromata, per impianti bitubo

Angle manual valve and lockshield, chromed, for double pipe plants

151.101

Consigliata per Cubal Bath, Fino e Collezione Piano / Suggested for Cubal Bath, Fino and Piano Collection



Valvola manuale dritta e detentore, cromata, per impianto bitubo

Straight manual valve or lockshield, chromed for double pipe plants

Suggested for Cubal Bath, Fino and Piano Collection

152.101


Consigliata per Cubal Bath, Fino e Collezione Piano /

FINISHES


COLORS AVAILABLE



Verniciature materiche / *Textured paints*




SW327F
Blu 500
sablé



33345
Beige sablé




SW306F
Noir 200
sablé



SN351F
Noir 900
sablé



44810
Bronzo
scuro



MX302L
Bismuth



RAL 9010
Bianco puro
sablé



+2 0110 177 7751

www.EdgesHeating.com

Info@solaredges.com

2 Ext 26 July St . Lebnan Sq .

El Hawary Tower , Mohandessin

Giza 12654 - Egypt



@Edges Heating Systems & Solar Energy



@EdgesSolar