


EDGES
HEATING SYSTEMS

UGO
NEW LOOK




@EDGES HEATING SYSTEMS
www.EdgesHeating.com

UGO



UGO is the rectangular brother of BELLINI both slim and efficient radiators with clean lines. Available in either horizontal or vertical models, UGO has a beautiful simple design, with a wide range of colours and dimensions.

UGO



Max. working pressure/
5.5 bar



Max. working temperature/
90°C



Mounting kit included/
K15 page 177



Factory pressure test/
Presiune de probă: 7 bar



Elements/70x11mm

	Code/ Cod	Finish / Finisaj	Height/ Înălțime (H)	Length/ Lățime (L)	Centres/ Interax (A)	No el/Nr elemente	Weight/ Greutate	Volume/ Volum	OUTPUT/PUTERE TERMICĂ (watt)		
									Δt=30°C	Δt=50°C	Δt=60°C
			mm	mm	mm	pcs	kg	l	W	W	W
UGO H	UGOH600*11V9010	RAL 9010 white/ alb*	271	600	550	11	12,30	3,60	271	517	647
	UGOH1200*11V9010		271	1200	1150	11	24,40	7,20	537	1025	1282
	UGO600*07V9010		600	167	550	7	7,80	2,30	172	329	411
	UGO600*11V9010		600	271	550	11	12,30	3,60	271	517	647
	UGO600*15V9010		600	375	550	15	16,70	4,90	370	706	882
UGO	UGO1200*07V9010	RAL 9010 white/ alb*	1200	167	1150	7	15,50	4,60	342	652	815
	UGO1200*11V9010		1200	271	1150	11	24,40	7,20	537	1025	1282
	UGO1200*15V9010		1200	375	1150	15	33,30	9,80	733	1398	1748
	UGO1500*07V9010		1500	167	1450	7	19,40	5,70	426	814	1017
	UGO1500*11V9010		1500	271	1450	11	30,50	8,90	670	1279	1599
	UGO1500*15V9010		1500	375	1450	15	41,50	12,20	914	1745	2181
	UGO1800*07V9010		1800	167	1750	7	23,20	6,80	511	975	1219
	UGO1800*11V9010		1800	271	1750	11	36,50	10,70	803	1533	1916
	UGO1800*15V9010		1800	375	1750	15	49,80	14,60	1096	2091	2614

We can make custom dimensions, after technical analysis. | Putem executa dimensiuni speciale, în urma unei analize tehnice.

ACCESSORIES

VALVES, LOCKSHIELDS AND VALVE/LOCKSHIELD ASSEMBLIES

Codice .

Descrizione .



Detentore diritto, cromato, per impianti bitubo

Straight lockshield suitable for thermostat control, chromed, for double pipe plants

108.103

Detentore per tubi rame, multistrato o ferro / Lockshield for copper, multilayer or iron pipes connection



Valvola a squadra termostattizzabile, cromata, per impianti bitubo

Angle valve suitable for thermostat control, chromed, for double pipe plants

106.103

Valvola per tubi rame, multi strato o ferro / Valve for copper, multilayer or iron pipes connection



Detentore a squadra cromato per impianti bitubo

Angle lockshield suitable for thermostat control, chromed, for double pipe plants

102.103

Detentore per tubi rame, multistrato e ferro / Lockshield for copper, multilayer or iron pipes connection



Gruppo valvola remoto termostattizzabile con attacchi 1/2"F, per impianti bitubo/monotubo, finitura cromo

Remote manual valve/lockshield assembly suitable for thermostat control with connections 1/2"F, for double/single pipes plant, chrome finish

205.21

Gruppo manuale / Remote manual



Kit valvola combinata per scaldasalviette ov- al bath / cu-al bath - round al bath per installazione resistenza assiale (versione mista)

Valve kit combined for towel warmers ov- al bath / cu-al bath - round al bath for axial resistance installation (hybrid version)

205.51

Gruppo con ingresso SX / Assembly with left-side inlet

205.52

Gruppo con ingresso DX / Assembly with right-side inlet



Valvola manuale e detentore ad angolo, cromata, per impianti bitubo

Angle manual valve and lockshield, chromed, for double pipe plants

151.101

Consigliata per Cubal Bath, Fino e Collezione Piano / Suggested for Cubal Bath, Fino and Piano Collection



Valvola manuale dritta e detentore, cromata, per impianto bitubo

Straight manual valve or lockshield, chromed for double pipe plants


Suggested for Cubal Bath, Fino and Piano Collection

152.101


Consigliata per Cubal Bath, Fino e Collezione Piano /

FINISHES


COLORS AVAILABLE



Verniciature materiche / *Textured paints*




SW327F
Blu 500
sablé



33345
Beige sablé




SW306F
Noir 200
sablé



SN351F
Noir 900
sablé



44810
Bronzo
scuro



MX302L
Bismuth



RAL 9010
Bianco puro
sablé



+2 0110 177 7751

www.EdgesHeating.com

Info@solaredges.com

2 Ext 26 July St . Lebnan Sq .

El Hawary Tower , Mohandessin

Giza 12654 - Egypt



@Edges Heating Systems & Solar Energy



@EdgesSolar